


DESCRIPTION : 2.54mm PITCH FRICTION LOCK HEADER,  
STRAIGHT

PART NO: P9067S22-19-X  
X=NO. OF WAYS(2-20)

RoHS



**PHYSICAL**

**INSULATION**

MATERIAL : NYLON 66  
 FLAMMABILITY : UL94V-2  
 CONTACT : BRASS, TIN PLATED  
**PACKAGING TYPE** : BULK PACKING

**ELECTRICAL**

**CURRENT RATING** : 4A  
**INSULATION RESISTANCE** : 1000M OHMS MIN  
**DIELECTRIC WITHSTANDING** : 1000V AC/MIN  
**CONTACT RESISTANCE** : 10m OHMS MAX  
**VOLTAGE RATING** : 250V AC/DC

**ENVIRONMENTAL DATA**


**TEMPERATURE RANGE** : -25° TO +85° C  
**PROCESS RATING** : 230°C FOR 5SEC



# PROTECTRON ELECTROMECH (P) LTD

DESCRIPTION : 2.54mm PITCH FRICTION LOCK HEADER, STRAIGHT

PART NO: P9067S22-19-X  
X=NO. OF WAYS(2-20)



REV.	DESCRIPTION	DRN. BY	DATE	CK'ED BY	APP'D BY
A2	COLOR CHANGED TO RED	SUNITA	19.04.2014		
A1	DIMENSIONS REVISED AND TOLERANCES ADDED	JEEVAN	25.05.2011		
A	ORIGINAL	ARUN	29.12.2004		

Projection: 	Scale: NTS	Sht. Size: A4	Gen. Tol.: ±0.1mm ±0.2'	ALL DIMENSIONS ARE IN MM. IF UNLESS OTHERWISE SPECIFIED.
-----------------	------------	---------------	----------------------------	---

<http://www.protectron.in>  
protectron@protectron.in

DESCRIPTION : 2.54mm PITCH FRICTION LOCK HEADER,  
STRAIGHT

PART NO: P9067S22-19-X  
X=NO. OF WAYS(2-20)

ORDERING INFORMATION

P9067S22-19-X

NO OF WAYS  
(2-20)

No. OF WAYS	DIMENSION		PART NUMBER	No. OF WAYS	DIMENSION		PART NUMBER
	A	B	RED COLOUR		A	B	RED COLOUR
			TIN PLATED				TIN PLATED
2	2.54	5.08	P9067S22-19-2	12	27.94	30.48	P9067S22-19-C
3	5.08	7.62	P9067S22-19-3	13	30.48	33.02	P9067S22-19-D
4	7.62	10.16	P9067S22-19-4	14	33.02	35.56	P9067S22-19-E
5	10.16	12.70	P9067S22-19-5	15	35.56	38.10	P9067S22-19-F
6	12.70	15.24	P9067S22-19-6	16	38.10	40.64	P9067S22-19-G
7	15.24	17.78	P9067S22-19-7	17	40.64	43.18	P9067S22-19-H
8	17.78	20.32	P9067S22-19-8	18	43.18	45.72	P9067S22-19-I
9	20.32	22.86	P9067S22-19-9	19	45.72	48.26	P9067S22-19-J
10	22.86	25.40	P9067S22-19-A	20	48.26	50.80	P9067S22-19-K
11	25.40	27.94	P9067S22-19-B				

**MATES WITH**

P9067H SERIES HOUSING  
P9067T SERIES TERMINAL

MOQ- ----

SPQ- ----