



PROTECTRON ELECTROMECH (P) LTD

DESCRIPTION : TERMINAL BLOCK HEADER, RISING CLAMP TYPE

PART NO: PTB129-XX-XXP-1X
1st XX=PITCH
2nd XX=NO. OF CONTACTS
3rd X=COLOR

RoHS



PHYSICAL DATA

MATERIAL : THERMOPLASTIC(UL94V-0)
CONTACT : COPPER ALLOY, TIN PLATED
PACKAGING TYPE : BULK PACKING

ELECTRICAL DATA

RATED CURRENT : 15A
DIELECTRIC VOLTAGE : 1600V AC/MIN
VOLTAGE RATING : 300V
CONTACT RESISTANCE : 20m Ω Max
INSULATION RESISTANCE : 1000M Ω Min

MECHANICAL DATA

TORQUE : 3.5Lb-In
WIRE RANGE : 30~12AWG

ENVIRONMENTAL DATA

TEMPERATURE RANGE : -40° TO +105°C







PROTECTRON ELECTROMECH (P) LTD

DESCRIPTION : TERMINAL BLOCK HEADER, RISING CLAMP TYPE

PART NO: PTB129-XX-XXP-1X

1st XX=PITCH
2nd XX=NO. OF CONTACTS
3rd X=COLOR



RECOMMENDED PCB LAYOUT

ORDERING INFORMATION

PTB129-XX-XXP-1X

PITCH	NO OF CONTACTS	COLOR
5.0	02~24(PITCH 5.0/5.08)	0=BLACK
5.08	02~12(PITCH 10.0/10.16)	5=GREEN
10.0	02&03 CONTACTS STACKABLE	6=BLUE
10.16		8=GREY

A	ORIGINAL	SUJATHA	24.03.2014		
REV.	DESCRIPTION		DRN. BY	DATE	CK'ED BY APP'D BY

Projection: 	Scale: NTS	Sht. Size: A4	Gen. Tol.: ±0.5mm ±0.2°	ALL DIMENSIONS ARE IN MM. IF UNLESS OTHERWISE SPECIFIED.
-----------------	------------	---------------	----------------------------	---