





DESC: 19p_cc_al_1_5

Part No. P61B01004


REV. A



NOTES:

- UNLESS OTHERWISE SPECIFIED:
LINEAR TOLERANCE : ±0.2 MM
LINEAR TOLERANCE OF HOLES : ±0.1MM
- SUGGESTED MANUFACTURING PROCESS:
A.) LASER CUTTING
- SURFACE FINISH FOR FRONT AND BOTTOM SURFACES
SHOULD BE LESS THAN 32 MICRON AFTER NICKEL PLATING.
- REMOVE SHARP EDGE & BURR
- ALL HOLES SHOULD BE IN PERFECT FORM, HOLES
SHOULD NOT BE DEFORMED

PROVISIONAL

REV.	ZONE	DESCRIPTION	DRG REV BY	DATE	DOCUMENT CODE :			ALL DIMENSIONS ARE IN MM. IF UNLESS OTHERWISE SPECIFIED.
A		ORIGINAL		17-10-2022	MATERIAL & FINISH	HEAT TREATMENT	Gen. Tol. ±0.1mm ±0.2°	 This Document is the property of PROTECTRON ELECTROMECH (P) LTD. it shall not be reproduced or communicated to a third party without prior permission.
					AL 5052 H32 NICKEL COATING 20 Microns	ENGG APP'D :	Surface 1.6 Finish Ra ✓	
					DRAWN BY : Rajana	APP'D BY:	Scale: 1 : 2	
					DATE : 17-10-2022		Sht. Size: A4	
							