PROTECTRON®
ELECTROMECH (P) LTD

**DESCRIPTION:** ZH CONNECTOR WAFER 1.5MM PITCH, RIGHT ANGLE

**PART NO:** P9058R29-19-X
X= NO. OF WAYS(2-13)

RoHS



## PHYSICAL DATA

**MATERIAL**

| | | |
|---|---|---|
| INSULATOR BODY | : | NYLON 66,UL94V-0 |
| CONTACT | : | BRASS/TIN PLATED |

## ELECTRICAL DATA

| | | |
|---|---|---|
| VOLTAGE RATING | : | 100V AC,DC |
| RATED CURRENT | : | 1A AC/DC |
| CONTACT RESISTANCE | : | 20m OHMS MAX. |
| INSULATION RESISTANCE | : | 500M OHMS MIN. |
| DIELECTRIC WITHSTANDING | : | 500V AC/minute |

## ENVIRONMENTAL DATA

| | | |
|---|---|---|
| OPERATING TEMP. RANGE | : | -25°C TO +85°C |

Confidential Property of Protectron Electromech Pvt Ltd. Any unauthorized use or transfer of confidential information may have legal consequences

**DESCRIPTION:** ZH CONNECTOR WAFER 1.5MM PITCH, RIGHT ANGLE

**PART NO:** P9058R29-19-X
X= NO. OF WAYS(2-13)













Confidential Property of Protectron Electromech Pvt. Ltd. Any unauthorized use or transfer of confidential information may have legal consequences.

| Projection: | Scale: NTS | Sht. Size: A4 | Gen. Tol.:±0.3mm ±2° | ALL DIMENSIONS ARE IN MM. IF UNLESS OTHERWISE SPECIFIED. |
|---|---|---|---|---|

PROTECTRON®
ELECTROMECH (P) LTD

DESCRIPTION: ZH CONNECTOR WAFER 1.5MM PITCH, RIGHT ANGLE

PART NO: P9058R29-19-X
X= NO. OF WAYS(2-13)

| NO. OF WAYS | DIMENSION | |
|---|---|---|
| | A | B |
| P9058R29-19-02 | 1.50 | 4.50 |
| P9058R29-19-03 | 3.00 | 6.00 |
| P9058R29-19-04 | 4.50 | 7.50 |
| P9058R29-19-05 | 6.00 | 9.00 |
| P9058R29-19-06 | 7.50 | 10.50 |
| P9058R29-19-07 | 9.00 | 12.00 |
| P9058R29-19-08 | 10.50 | 13.50 |
| P9058R29-19-09 | 12.00 | 15.00 |
| P9058R29-19-10 | 13.50 | 16.50 |
| P9058R29-19-11 | 15.00 | 18.00 |
| P9058R29-19-12 | 16.50 | 19.50 |
| P9058R29-19-13 | 18.00 | 21.00 |

Confidential Property of Protectron Electromech Pvt. Ltd. Any unauthorized use or transfer of confidential information may have legal consequences

| Projection: | Scale: NTS | Sht. Size: A4 | Gen. Tol.:±0.3mm ±2° | ALL DIMENSIONS ARE IN MM. IF UNLESS OTHERWISE SPECIFIED. |
|---|---|---|---|---|