



DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH
CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21

RoHS



PHYSICAL DATA

INSULATION

MATERIAL

: PBT+30% GLASS FILLED

FLAMMABILITY

: UL94V-0

COLOR

: BLACK COLOR

CONTACT

: COPPER ALLOY, GOLD PLATED

PACKAGING TYPE

: TUBE PACKING

ELECTRICAL DATA

CURRENT RATING

: 1A

INSULATION RESISTANCE

: 1000M OHMS MIN

DIELECTRIC WITHSTANDING

: 500V AC/MIN

CONTACT RESISTANCE

: 20m OHMS MAX

VOLTAGE RATING

: 250V AC/DC

ENVIRONMENTAL DATA

TEMPERATURE RANGE

: -40° TO +105° C

MATING DETAILS

CONNECTOR








: P9933 & P9934 SERIES



PROTECTRON®
ELECTROMECH (P) LTD

DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21





PROTECTRON[®]
ELECTROMECH (P) LTD

DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH
CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21

ORDERING INFORMATION

P9433IDS-XXX-21

NO OF CONTACTS

006	026
008	030
010	034
012	040
014	050
016	060
020	080
024	--

Projection:



Scale: **NTS**

Sht. Size: **A4**

Gen. Tol.: $\pm 0.35\text{mm}$
 $\pm 2^\circ$

ALL DIMENSIONS ARE IN MM.
IF UNLESS OTHERWISE SPECIFIED.

www.protectron.in

protectron@protectron.in