



DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH
CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21

RoHS



PHYSICAL DATA

INSULATION	
MATERIAL	: PBT+30% GLASS FILLED
FLAMMABILITY	: UL94V-0
COLOR	: BLACK COLOR
CONTACT	: COPPER ALLOY, GOLD PLATED
PACKAGING TYPE	: TUBE PACKING

ELECTRICAL DATA

CURRENT RATING	: 1A
INSULATION RESISTANCE	: 1000M OHMS MIN
DIELECTRIC WITHSTANDING	: 500V AC/MIN
CONTACT RESISTANCE	: 20m OHMS MAX
VOLTAGE RATING	: 250V AC/DC

ENVIRONMENTAL DATA

TEMPERATURE RANGE	: -40° TO +105° C
-------------------	-------------------








MATING DETAILS

CONNECTOR	: P9933 & P9934 SERIES
-----------	------------------------



DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH
CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21



DESCRIPTION : 1.27X1.27mm IDC SOCKET, WITH NOTCH CONNECTOR, RoHS

PART NO: P9433IDS-XXX-21


ORDERING INFORMATION

P9433IDS-XXX-21

NO OF CONTACTS

006	026
008	030
010	034
012	040
014	050
016	060
020	080
024	--

Projection:



Scale: NTS

Sht. Size: A4

Gen. Tol.: $\pm 0.35\text{mm}$
 $\pm 2'$

ALL DIMENSIONS ARE IN MM.
IF UNLESS OTHERWISE SPECIFIED.