



DESCRIPTION : CCS2 COMBO, CHARGING PLUG HANDLE

PART NO : PEVCF038-05-11

RoHS



MATERIAL AND FINISH

BODY : THERMOPLASTIC, UL94 V-0
TERMINALS : COPPER ALLOY, SILVER PLATING

ELECTRICAL PARAMETERS

MAX VOLTAGE RATING : 1000V DC
MAX CURRENT RATING : 80A DC

MECHANICAL PARAMETERS




MATING CYCLES : 10000 CYCLES
CHARGING CABLE (DC) : 80A DC, (DC+)+(DC-)+PP+CP+PE
STANDARD : IEC 62196
DEGREE OF PROTECTION : IP54
AMBIENT TEMPERATURE : -30°C TO +50°C



PROTECTRON[®]
ELECTROMECH (P) LTD

DESCRIPTION : CCS2 COMBO, CHARGING PLUG HANDLE

PART NO : PEVCF038-05-11






DESCRIPTION : CCS2 COMBO, CHARGING PLUG HANDLE

PART NO : PEVCF038-05-11

WIRING METHOD



Projection:



Scale: NTS

Sht. Size: A4

Gen. Tol.: $\pm 1\text{mm}$
 $\pm 2'$

ALL DIMENSIONS ARE IN MM.
IF UNLESS OTHERWISE SPECIFIED.